

Conversion instructions

for the straw protection cover

on the PS 120-500



Version: 08/2016, V1.0

Item no.: 00600-3-997

<u>The straw protection cover P8 E RAL3020 assembled</u> item no.: 04000-2-268 includes:

Item no.:Designation:Pieces:04000-2-268 Straw protection cover P8 E RAL3020 assembled1 pc.00600-3-988 UA Straw protection cover PS120-500 V1.X de1 pc.00600-3-997 UA Straw protection cover PS120-500 V1.X en1 pc.

Tools needed to convert the straw protection cover:

WAF 10 open-ended spanner 10 mm socket wrench

The conversion must be performed as follows:

1. As shown in Fig. 1, loosen the marked screws, of which 2 are located on each side.



2. As shown in Fig. 2 with the direction of the rotation arrow, turn the blower fan cover down towards the front.



3. Take the top part of the straw protection cover in your hand and attach it to the steel frame on both sides with the previously loosened screws.




4. Now attach the bottom part of the straw protection cover by threading the 3 elongated slots, located on the top side of this part, upwards into the hooks that can be seen in Fig. 3.



5. Position the second part of the straw protection cover on the steel frame such that the drilled holes of the straw protection cover overlap with those of the steel frame. Attach this part onto the steel frame with the previously loosened screws.




6. Ensure that the bend on the bottom side of the straw protection cover, as shown in Fig. 6, is resting on the bottom edge of the steel frame.



1	1	•		
ı	r	п	١	
	•	•		


Quality for professionals

Notes



Quality for professionals

Notes



Quality for professionals

Inspired by farmers & realized by professionals



APV - Technische Produkte GmbH Dallein 15 AT-3753 Hötzelsdorf

> Tel.: +43 (0)2913 8001 Fax: +43 (0)2913 8002

> > www.apv.at office@apv.at